

Message

From: Bury, Carolyn [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=DE91ECB9B8C044A4BF4C350615AE3633-CBURY]
Sent: 10/12/2018 1:15:16 PM
To: Bury, Carolyn [bury.carolyn@epa.gov]
CC: Joe Bianchi [jbian@amphenol-aao.com] [jbian@amphenol-aao.com]
Subject: RE: photo for Amphenol fact sheet

Hi Brad,

It looks like we will just omit the photo in the fact sheet but thanks. If they say OK, maybe we could use it in on the web page or in a slide at the Information Session (type of public meeting).

Currently looking at Dec 4 or 5 for a meeting in Franklin.

Available for a call before 9?

Carolyn

From: Bury, Carolyn
Sent: Thursday, October 11, 2018 10:43 AM
To: 'Brad Gentry' <bgentry@iwmconsult.com>
Subject: RE: photo for Amphenol fact sheet

Thanks.

From: Brad Gentry [mailto:bgentry@iwmconsult.com]
Sent: Thursday, October 11, 2018 10:22 AM
To: Bury, Carolyn <bury.carolyn@epa.gov>
Subject: RE: photo for Amphenol fact sheet

I will have to ask permission from Amphenol first. I will let you know once I hear back from them.

Sincerely,

Bradley E. Gentry, LPG
 Vice President/Brownfield Coordinator
 IWM Consulting Group, LLC
 7428 Rockville Road
 Indianapolis, IN 46214
 Mobile: (317) 435-8877
 Office: (317) 968-9256
 Fax: (317) 347-9326

From: Bury, Carolyn <bury.carolyn@epa.gov>
Sent: Thursday, October 11, 2018 10:50 AM
To: Brad Gentry <bgentry@iwmconsult.com>
Subject: photo for Amphenol fact sheet

Hi Brad,

Do you have a photo of a SS sample port that we could use in an EPA fact sheet?

Alternatively, any VI indoor home sampling photo that does not have PII? The contractor put one in the fact sheet from a manufacturer, but did not get permission first.

If you don't have one, I'll ask around here.

Thanks.

Carolyn

Carolyn Bury
Corrective Action Project Manager
Remediation and Re-use Branch
Land and Chemicals Division
U.S. Environmental Protection Agency
77 W. Jackson Blvd. LU-16J
Chicago, IL 60604

312-886-3020

bury.carolyn@epa.gov